

**The Negative Space Quilt** 

# **The Negative Space Quilt**

Designed by Angela Walters

Finished Size: 56" x 64"



# MIDNIGHT QUILT SHOW

#### Subscribe

Be sure to never miss an episode! Go to youtube.com/midnightquiltshow and click "Subscribe" to get fresh episodes delivered to your inbox.

#### #Midnightquiltshow #mybluprint

Join our Instagram community! Follow @therealbluprint for daily inspiration, then share your own projects to inspire your fellow makers. Use the hashtag #mybluprint so we can see what you've made (and re-share it, too)!









#### Questions or comments?



Get in touch with our Customer Support team at <a href="mailto:help@mybluprint.com">help@mybluprint.com</a>

**HAPPY MAKING!** 

#### **Tips For Success**

#### 1. WATCH THE EPISODE!

See how Angela pieces and guilts these designs as she works her way through the quilt. Go to youtube.com/ bluprint and search for Negative Space Quilt.

#### 2. **GET YOUR MACHINE READY**

Prepare for guilting success by reading through entire pattern before starting. Make sure you have a sharp rotary blade. Are you experiencing breakage of your top thread, or skipped stitches? Do you hear a quiet popping sound when your needles move through the fabric? These are all signs that your needle is dull and it's time for a change.

3. Be sure to visit Angela's Favorite Supplies page: https://www. craftsy.com/quilting/ideas/angelafavorite-things



## **Materials**

SIZE	DIMENSIONS	QUILT TOP & BINDING	BACKING
Throw	56" x 64"	(40) 2½" x WOF strips 2 Yards Background Fabric	4 Yards

## **Recommended Tools & Notions**

Rotary cutter
Quilting rulers
Cutting mat
50wt cotton thread

#### **General Guidelines**

Please read the entire pattern once through before starting. Use a 4" seam allowance unless otherwise directed.

## **Abbreviations**

WOF = Width of Fabric, approximately 42" wide

# **Cutting Instructions**

**Important note:** Reserve (7) 2½" x WOF strips for binding.


Cutting Instructions			
From each of (16) 2½" x WOF strips, cut:			
(1) 2½" x 18½" strip			
(1) 2½" x 10½" strip			
(1) 2½" x 6½" strip			
From each of (4) 2½" x WOF strips, cut:			
(1) 2½" x 10½" strip			
From the Background Fabric, cut:			
(1) 6½" x WOF strip, into:			
(1) 6½" x 14½" piece (A (1) 6½" x 26½" piece (B)			
(1) 8½" x WOF strip, into:			
(1) 8½" x 18½" piece (C)			
(1) 8½" x 20½" piece (D)			
(1) 10½" x WOF strip, into:			
(1) 10½" square (E) (1) 10½" x 26½" piece (F)			
(1) 12½" x WOF strip, into:			
(1) 12½" x 23½" piece (G)			
(1) 12½" x 15½" piece (H)			
(1) 10½" x WOF strip, into:			
(1) 10½" x 18½" piece (I)			
(1) 10½" x 18½" piece (J)			
(1) 12½" x WOF strip, into:			
(1) 12½" x 11½" piece (K)			
(1) 12½" x 27½" piece (L)			
(1) 6½" x WOF strip, into:			
(1) 6½" x 27½" piece (M) (1) 6½" x 13½" piece (N)			
(1) 0/2 X 10/2 piece (14)			

## **Pattern Instructions**

#### **Strip Set Assembly**

#### STEP 1

Sew eight  $2\frac{1}{2}$ " x  $6\frac{1}{2}$ " strips together along the length. Press in one direction. The Strip Set should measure  $6\frac{1}{2}$ "x  $16\frac{1}{2}$ ". Repeat to make two. (Strip Set 1 and 7)



STEP 2


Sew four 2%" x 18%" strips together along the length. The Strip Set should measure 18%" x 8%". Press in one direction. (Strip Set 2)



Make (1) for Strip Set 2.

#### STEP 3


Sew ten 2%" x 10%" strips together along the length. Press in one direction. The Strip Set should measure 10%" x 20%". Repeat to make two. (Strip Set 3 and 5)



Make (2) for Strip Set 3 and 5.

#### STEP 4

Sew six  $2\frac{1}{2}$ " x  $18\frac{1}{2}$ " strips together along the length. Press in one direction. The Strip Set should measure  $18\frac{1}{2}$ " x  $12\frac{1}{2}$ ". Repeat to make two. (Strip Set 4 and 6)




Make (2) for Strip Set 4 and 6.

# **Pattern Instructions**

## **Quilt Top Assembly**

Lay out background and Strip Sets per the Quilt Assembly Diagram. Sew rows together. Press towards Background. Sew rows together and press in one direction.



## Finishing The Quilt

Quilt as desired and bind with 2½" x WOF strips.